



# GC200 Cleaner & Disinfectant

EPA Reg. No. 7514-7-84429



## Change the way you sanitize.

EMS Professionals face challenges everytime they sanitize their vehicles. Between poisonous fumes, vehicle downtime and hours wasted manually cleaning emergency vehicles there has never been a good time to clean and sanitize. Until now....

GC200 Cleaner and Disinfectant kills 99.9% of illness causing germs and bacteria on contact and keeps on self sanitizing for up to one month. Our cleaner and disinfectant goes on in minutes (when applied with electrostatic sprayer) and is non-harmful to both people and the environment, putting both EMS vehicles and the people who operate them back in service and ready to respond when emergencies occur.

- Kills 99.9% of illness-causing germs for up to one month\*
- Improves overall cleanliness and vehicle downtime
- Made with organic compounds
- Triclosan-free
- Water-based, Odorless
- Non- toxic, safe for humans
- Environmentally safe
- Applies in minutes and dries fast



Contact your local Source One MRO rep for order information  
[www.sourceonemro.com](http://www.sourceonemro.com) | 1.866.738.7230 | [sales@sourceonemro.com](mailto:sales@sourceonemro.com)



## **DIRECTIONS FOR USE:**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. For plastics and painted surfaces, spot test on an inconspicuous area before use. GClean Surface Spray Sanitizer/Disinfectant will not harm most surfaces: including acrylic, sealed fiberglass and vinyl. Do not use on unpainted wood, natural marble or brass.

## **DISINFECTION/VIRUCIDAL\*/MOLD AND MILDEW CONTROL DIRECTIONS:**

Spray surface until surface is visibly wet. Allow surface to remain wet for 4 minutes. For **Canidida albicans**, treated surfaces must remain wet for 8 minutes. For **Norwalk Virus (Feline Calicivirus)**, **Norovirus** and **Rotavirus** treated surfaces must remain wet for 10 minutes. Let air dry. If surfaces are extremely dirty, clean first with GClean Hard Surface Cleaner, followed by GClean Surface Spray Sanitizer/Disinfectant. Rinse food contact surfaces with clean, potable water after disinfecting. Do not use to disinfect dishes, glassware or utensils.

## **FOR MOLD AND MILDEW:**

GClean Surface Spray Sanitizer/Disinfectant will effectively inhibit the growth of mold and mildew and the odors caused by them when applied to hard, nonporous surfaces. Follow disinfection instructions. Repeat treatment every 7 days, or more often if new growth appears.

## **SANITIZING:**

To sanitize hard, nonporous, non-food contact surfaces; spray using enough GClean Surface Spray Sanitizer/Disinfectant to allow treated surface to remain wet for 15 seconds for **Staphylococcus aureus [Staph] (ATCC 6538)**, **Klebsiella pneumonia (ATCC 4352)** and **Campylobacter jejuni (ATCC 29428)**. Let surface dry. For highly soiled surfaces, clean excess dirt first.

**\*KILLS HIV AND HBV AND HCV ON PRE-CLEANED ENVIRONMENTAL SURFACES/OBJECTS PREVIOUSLY SOILED WITH BLOOD/BODY FLUIDS** in healthcare settings or other settings in which there is an expected likelihood of soiling of inanimate surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of Human Immunodeficiency Virus Type 1 (HIV-1) (Associated with AIDS) or Hepatitis B Virus (HBV) or Hepatitis C Virus (HCV).

## **SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1 OR HBV OR HCV ON SURFACES/OBJECTS SOILED WITH BLOOD/BODY FLUIDS.**

**Personal protection:** Clean-up must always be done wearing protective gloves, gowns, masks and protection.

**Cleaning procedure:** Blood and other bodily fluids containing HIV or HBV or HCV must be thoroughly cleaned from surfaces and objects before application of GClean Surface Spray Sanitizer/Disinfectant. Surface Spray Sanitizer/Disinfectant can be used for this purpose.

**Contact time:** Leave surface wet for 1 minute for HIV-1. Use appropriate contact time as listed on label for all other viruses, bacteria and fungi claimed.

**Disposal of infectious material:** Blood, body fluids, cleaning materials and clothing must be disposed of according to local regulations for infectious waste disposal. This product is for use on hard nonporous surfaces not conducive to treatment by immersion or excess liquid against Avian Influenza A.

## **FIRST AID**

**If in eyes:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. Have the product container or label with you when calling poison control center or doctor or going for treatment.



## **GClean Surface Spray Sanitizer/Disinfectant is effective against:**

### **Bacteria:**

Staphylococcus aureus-Community  
Associated Methicillin-Resistant  
[CA-MRSA] [NRS384] [USA300]  
Staphylococcus aureus-Community  
Associated Methicillin-Resistant  
[CA-MRSA] [NRS123] [USA400]  
Staphylococcus aureus-(Staph)  
Salmonella enterica (Salmonella)  
Enterococcus faecalis-Vancomycin  
Resistant [VRE]  
Escherichia coli [E. coli]  
ESBL Escherichia coli- [Extended spectrum beta-lactamase producing E. coli]  
Klebsiella pneumonia [Klebsiella]  
Legionella pneumophila  
Burkholderia cepacia  
Salmonella Schottmuelleri [Salmonella]  
Salmonella typhi [Salmonella]  
Serratia marcescens [Serratia]  
Shigella dysenteriae [Shigella]  
Staphylococcus aureus-Vancomycin  
Intermediate Resistant-[VISA]  
Streptococcus pyogenes [Strep] [a cause of scarlet fever]  
Vibrio cholera

### **Viruses:**

\*Rotavirus  
\*Hepatitis B Virus [HBV]  
\*Hepatitis C Virus [HCV]  
\*Herpes Simplex Virus Type 1  
\*Herpes Simplex Virus Type 2  
\*HIV-1 [AIDS Virus]  
\*Human Coronavirus  
\*Influenza Type A Virus/Brazil [Influenza]  
\*Respiratory Syncytial Virus [RSV]  
\*SARS Associated Coronavirus [SARS] [cause of Severe Acute Respiratory Syndrome]  
\*Vaccinia Virus [Pox Virus]

### **Animal Viruses:**

Avian Influenza Virus [H5N1]  
Avian Influenza Virus [H3N2]  
Canine Distemper Virus  
Feline Calicivirus  
Newcastle's Disease Virus  
Pseudorabies Virus

### **Fungi:**

Candida albicans

### **STORAGE AND DISPOSAL**

Store in original container in areas inaccessible to children. Keep securely closed. Nonrefillable container. Do not reuse or refill this container. Discard empty container in trash or recycle.

